Xylene



DANGER

Flammable liquid and vapor. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness



PREVENTION

Keep away from heat, sparks, and open flames. — No smoking. Keep container tightly closed.



Avoid breathing vapors or mist. Wash hands and any other contaminated skin thoroughly after handling. Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area.

RESPONSE

If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting, If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin: Take of all contaminated clothing. Wash with plenty of soap and water or shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

In case of fire: Use foam, water spray or fog. Dry chemical, carbon dioxide or sand may be used for small fires only. Do NOT use water in a iot

Xylene



DANGER

Flammable liquid and vapor. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.



PREVENTION

Keep away from heat, sparks, and open flames. — No smoking. Keep container tightly closed.



Avoid breathing vapors or mist. Wash hands and any other contaminated skin thoroughly after handling. Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area.

RESPONSE

If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting, If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin: Take off all contaminated clothing. Wash with plenty of soap and water or shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

In case of fire: Use foam, water spray or fog. Dry chemical, carbon dioxide or sand may be used for small fires only. Do NOT use water in a

Xylene



DANGER

Flammable liquid and vapor. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.



PREVENTION

Keep away from heat, sparks, and open flames. — No smoking. Keep container tightly closed



Avoid breathing vapors or mist. Wash hands and any other contaminated skin thoroughly after handling. Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area.

RESPONSE

If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting, If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin: Take off all contaminated clothing. Wash with plenty of soap and water or shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

In case of fire: Use foam, water spray or fog. Dry chemical, carbon dioxide or sand may be used for small fires only. Do NOT use water in a iet

Xylene



DANGER

Flammable liquid and vapor. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or



PREVENTION

Keep away from heat, sparks, and open flames. — No smoking. Keep container tightly closed.



Avoid breathing vapors or mist. Wash hands and any other contaminated skin thoroughly after handling. Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area.

RESPONSE

If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting, If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin: Take off all contaminated clothing. Wash with plenty of soap and water or shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

In case of fire: Use foam, water spray or fog. Dry chemical, carbon dioxide or sand may be used for small fires only. Do NOT use water in a iet.

Xylene



DANGER

Flammable liquid and vapor. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.



PREVENTION

Keep away from heat, sparks, and open flames. — No smoking. Keep container tightly closed.



Avoid breathing vapors or mist. Wash hands and any other contaminated skin thoroughly after handling. Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area.

RESPONSE

If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting, If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin: Take off all contaminated clothing. Wash with plenty of soap and water or shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

In case of fire: Use foam, water spray or fog. Dry chemical, carbon dioxide or sand may be used for small fires only. Do NOT use water in a jet.

Xylene



DANGER

Flammable liquid and vapor. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.



PREVENTION

Keep away from heat, sparks, and open flames. — No smoking. Keep container tightly closed.



Avoid breathing vapors or mist. Wash hands and any other contaminated skin thoroughly after handling. Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area.

RESPONSE

If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting, If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin: Take off all contaminated clothing, Wash with plenty of soap and water or shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

In case of fire: Use foam, water spray or fog. Dry chemical, carbon dioxide or sand may be used for small fires only. Do NOT use water in a jet.

Xylene



DANGER

Flammable liquid and vapor. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.



PREVENTION

Keep away from heat, sparks, and open flames. — No smoking. Keep container tightly closed.



Avoid breathing vapors or mist. Wash hands and any other contaminated skin thoroughly after handling. Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area.

RESPONS

If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting, If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin: Take off all contaminated olothing, Wash with plenty of soap and water or shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

In case of fire: Use foam, water spray or fog. Dry chemical, carbon dioxide or sand may be used for small fires only. Do NOT use water in a

Xylene



DANGER

Flammable liquid and vapor. Causes skin irritation. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.



PREVENTION

Keep away from heat, sparks, and open flames. — No smoking. Keep container tightly closed.



Avoid breathing vapors or mist. Wash hands and any other contaminated skin thoroughly after handling. Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area.

RESPONSE

If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting, If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin: Take off all contaminated clothing. Wash with plenty of soap and water or shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

In case of fire: Use foam, water spray or fog. Dry chemical, carbon dioxide or sand may be used for small fires only. Do NOT use water in a left